## GIRLS CADET COLLEGE MARDAN ENTRY TEST FIRST YEAR MODEL PAPER - BIOLOGY


CLASS; xi MARKS 50

**BIOLOGY Time 1hr** 

Q1 .Read the given statements carefully and select the correct option.

## **SECTION A**

| Choose the correct op           | otion.              |                 |             |
|---------------------------------|---------------------|-----------------|-------------|
| i)High level of ADH is a sign o | of                  | ·               |             |
| A) Hydration of body            | B) Dehydration      | C) kidney stone | D) Diabetes |
| ii)n the given diagram labelle  | ed part e and C sho | ows part and    | of brain    |




| A) Pituitary gland and Pons B) pituitary gland and medulla oblongata     B) C) hypothalamus and thanks D) hypothalamus and medulla oblongata   |
|--|
| iii) The main components of bone are   |
| in the main components of bone are   |
| <ul><li>A) Marrow ,spongy bone ,wax B) Marrow ,compact bone, wax</li><li>B) C) Compact bone and marrow D)compact bone, spongy bone and bone marrow</li></ul>                           |
| iv) Which of the following primarily occurs in glomerulus?   |
| A ) Reabsorption of glucose B) filtration of blood plasma  |
| C) urine concentration D) urine secretion  |
| v) is the intestinal infection of animals .  |
| A) Trypanosomiosis B)AmeobiosisC ) Baceteriosis D) cooccidiosis  |
| vi) The joints which can not move at all are called as   |
| A) Hinge joint B) saddle joint C) fibrous joints D) condyloid joints   |
| vii) when two heterozygote flowers are crossed a new phenotype appeared in F1 generation, it is called as  |
| A) Complete dominance B) co dominance C) over dominance D) incomplete dominance  |
| Viii) If both the parents are A blood group the probability of O child is  |
| A) Zero B) 100% C) 25% D) 75%  |
| Ix ) in eukaryotes histone protein is wrapped around the DNA to form a structure called.   |
| A) centromere B) telomere C) acrosome D) nucleosome  |
| x) in hypermetropia light rays are focused   |
| A) At fovea B) at blind spot C) behind retina D) before retina   |
| xi) An individual picked the ball from ground and rotate his arm before throwing ball.which joint and muscles are required to rotate and throwing the ball.                            |
| <ul><li>A) Hinge joint and triceps muscle</li><li>B) Hinge joint and bicep muscle</li><li>B) ball and socket joint bicep muscle.D.) ball and socket joint and triceps muscle</li></ul> |
| O 2.Complete the given table ( 5 Marks)  |

| Name of organ / | Location | Function/ |
|-----------------|----------|-----------|
| part            |          | hormone   |
| Adrenal gland   |          |           |
| Cornea          |          |           |
| Histone         |          |           |

| Tendon        |  |
|---------------|--|
| Renal pyramid |  |

Q3 label the given diagram and describe the phenomenon .



## Q 4. Answer the question each carry 5 marks. ( 25 marks)

*I.* How does DNA work?

| What will be the F1 a   | nd F2 generation | of the aiven aene | otic cross AaRhy | kaahh |  |
|-------------------------|------------------|-------------------|------------------|-------|--|
| what will be the 11 a   | Ta 12 generation | oj tne given gene | THE CIOSS. AUDDA | ·uubb |  |
|                         |                  |                   |                  |       |  |
|                         |                  |                   |                  |       |  |
| . Define the following  |                  |                   |                  |       |  |
| Renal failure           |                  |                   |                  |       |  |
| Vector                  |                  |                   |                  |       |  |
| Allele                  |                  |                   |                  |       |  |
| Recombinant DNA.        |                  |                   |                  |       |  |
| .Synovial joint         |                  |                   |                  |       |  |
| why is the use of plas  | mid important in | genetic engineer  | ing?             |       |  |
|                         |                  |                   |                  |       |  |
|                         |                  |                   |                  |       |  |
|                         |                  |                   |                  |       |  |
|                         |                  |                   |                  |       |  |
| / .Draw a label diagrar |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |
|                         |                  | abeling 5 parts n | ninimum.         |       |  |